



Handwheels

gray cast iron DIN 950

INCH
Parts



Material:

Handwheel in gray cast iron, machine handle in steel

Type:

Wheel rim turned and polished.

Part Number Example:

K0671.0080XCN

On request:

Square hole broached hubs or powder-coated handwheels.

KIPP Handwheels gray cast iron DIN 950, without machine handle, inch

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes
K0671.0080XCN	80	.312	-	25	16	29	3
K0671.0080XCO	80	-	.375	25	16	29	3
K0671.0100XCO	100	.375	-	26	17	33	3
K0671.0100XCP	100	-	.500	26	17	33	3
K0671.0125XCO	125	.375	-	33	18	36	3
K0671.0125XCP	125	-	.500	33	18	36	3
K0671.0140XCP	140	.500	-	33	19	39	3
K0671.0140XCQ	140	-	.625	33	19	39	3
K0671.0160XCP	160	.500	-	37	20	40	3
K0671.0160XCQ	160	-	.625	37	20	40	3
K0671.0180XCP	180	.500	-	36	22	43	3
K0671.0180XCQ	180	-	.625	36	22	43	3
K0671.0200XCQ	200	.625	-	38	24	45	3
K0671.0200XCR	200	-	.750	38	24	45	3
K0671.0250XCR	250	.750	-	46	28	50	5
K0671.0250XCV	250	-	.875	46	28	50	5
K0671.0315XCV	315	.875	-	54	33	56	5
K0671.0315XCS	315	-	1.00	54	33	56	5
K0671.0400XCS	400	1.00	-	68	38	63	5
K0671.0500XCS	500	1.00	-	79	45	72	5



Handwheels

gray cast iron DIN 950

KIPP Handwheels gray cast iron DIN 950, with fixed machine handle, inch

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes	fixed grip DIN 39 Style E
K0671.2080XCN	80	.312	-	25	16	29	3	ø16 x M6 x 50
K0671.2080XCO	80	-	.375	25	16	29	3	ø16 x M6 x 50
K0671.2100XCO	100	.375	-	26	17	33	3	ø16 x M6 x 50
K0671.2100XCP	100	-	.500	26	17	33	3	ø16 x M6 x 50
K0671.2125XCO	125	.375	-	33	18	36	3	ø20 x M8 x 64
K0671.2125XCP	125	-	.500	33	18	36	3	ø20 x M8 x 64
K0671.2140XCP	140	.500	-	33	19	39	3	ø20 x M8 x 64
K0671.2140XCQ	140	-	.625	33	19	39	3	ø20 x M8 x 64
K0671.2160XCP	160	.500	-	37	20	40	3	ø25 x M10 x 80
K0671.2160XCQ	160	-	.625	37	20	40	3	ø25 x M10 x 80
K0671.2180XCP	180	.500	-	36	22	43	3	ø25 x M10 x 80
K0671.2180XCQ	180	-	.625	36	22	43	3	ø25 x M10 x 80
K0671.2200XCQ	200	.625	-	38	24	45	3	ø25 x M10 x 80
K0671.2200XCR	200	-	.750	38	24	45	3	ø25 x M10 x 80
K0671.2250XCR	250	.750	-	46	28	50	5	ø32 x M12 x 100
K0671.2250XCV	250	-	.875	46	28	50	5	ø32 x M12 x 100
K0671.2315XCV	315	.875	-	54	33	56	5	ø32 x M12 x 100
K0671.2315XCS	315	-	1.00	54	33	56	5	ø32 x M12 x 100
K0671.2400XCS	400	1.00	-	68	38	63	5	ø36 x M16 x 112
K0671.2500XCS	500	1.00	-	79	45	72	5	ø36 x M16 x 112



KIPP Handwheels gray cast iron DIN 950, with revolving machine handle, inch

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes	revolving machine handle DIN 98 Style E
K0671.4080XCN	80	.312	-	25	16	29	3	ø16 x M6 x 54.5
K0671.4080XCO	80	-	.375	25	16	29	3	ø16 x M6 x 54.5
K0671.4100XCO	100	.375	-	26	17	33	3	ø16 x M6 x 54.5
K0671.4100XCP	100	-	.500	26	17	33	3	ø16 x M6 x 54.5
K0671.4125XCO	125	.375	-	33	18	36	3	ø20 x M8 x 67
K0671.4125XCP	125	-	.500	33	18	36	3	ø20 x M8 x 67
K0671.4140XCP	140	.500	-	33	19	39	3	ø20 x M8 x 67
K0671.4140XCQ	140	-	.625	33	19	39	3	ø20 x M8 x 67
K0671.4160XCP	160	.500	-	37	20	40	3	ø25 x M10 x 83
K0671.4160XCQ	160	-	.625	37	20	40	3	ø25 x M10 x 83
K0671.4180XCP	180	.500	-	36	22	43	3	ø25 x M10 x 83
K0671.4180XCQ	180	-	.625	36	22	43	3	ø25 x M10 x 83
K0671.4200XCQ	200	.625	-	38	24	45	3	ø25 x M10 x 83
K0671.4200XCR	200	-	.750	38	24	45	3	ø25 x M10 x 83
K0671.4250XCR	250	.750	-	46	28	50	5	ø32 x M12 x 105.5
K0671.4250XCV	250	-	.875	46	28	50	5	ø32 x M12 x 105.5
K0671.4315XCV	315	.875	-	54	33	56	5	ø32 x M12 x 105.5
K0671.4315XCS	315	-	1.00	54	33	56	5	ø32 x M12 x 105.5
K0671.4400XCS	400	1.00	-	68	38	63	5	ø36 x M16 x 117
K0671.4500XCS	500	1.00	-	79	45	72	5	ø36 x M16 x 117

Handwheels

gray cast iron DIN 950

METRIC
Parts



Material:

Handwheel in gray cast iron, machine handle in steel

Type:

Wheel rim turned and polished.

Part Number Example:

K0671.0080X10

On request:

Square hole broached hubs or powder-coated handwheels.

KIPP Handwheels gray cast iron DIN 950, without machine handle, metric

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes
K0671.0080X10	80	10	-	25	16	29	3
K0671.0080X12	80	-	12	25	16	29	3
K0671.0100X10	100	10	-	26	17	33	3
K0671.0100X12	100	-	12	26	17	33	3
K0671.0125X12	125	12	-	33	18	36	3
K0671.0125X14	125	-	14	33	18	36	3
K0671.0140X14	140	14	-	33	19	39	3
K0671.0140X16	140	-	16	33	19	39	3
K0671.0160X14	160	14	-	37	20	40	3
K0671.0160X16	160	-	16	37	20	40	3
K0671.0180X16	180	16	-	36	22	43	3
K0671.0180X18	180	-	18	36	22	43	3
K0671.0200X18	200	18	-	38	24	45	3
K0671.0200X22	200	-	22	38	24	45	3
K0671.0250X22	250	22	-	46	28	50	5
K0671.0250X26	250	-	26	46	28	50	5
K0671.0315X26	315	26	-	54	33	56	5
K0671.0315X30	315	-	30	54	33	56	5
K0671.0400X30	400	30	-	68	38	63	5
K0671.0400X34	400	-	34	68	38	63	5
K0671.0500X34	500	34	-	79	45	72	5
K0671.0500X40	500	-	40	79	45	72	5

KIPP Handwheels gray cast iron DIN 950, with fixed machine handle, metric

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes	fixed grip DIN 39 Style E
K0671.2080X10	80	10	-	25	16	29	3	ø16 x M6 x 50
K0671.2080X12	80	-	12	25	16	29	3	ø16 x M6 x 50
K0671.2100X10	100	10	-	26	17	33	3	ø16 x M6 x 50
K0671.2100X12	100	-	12	26	17	33	3	ø16 x M6 x 50
K0671.2125X12	125	12	-	33	18	36	3	ø20 x M8 x 64
K0671.2125X14	125	-	14	33	18	36	3	ø20 x M8 x 64
K0671.2140X14	140	14	-	33	19	39	3	ø20 x M8 x 64
K0671.2140X16	140	-	16	33	19	39	3	ø20 x M8 x 64
K0671.2160X14	160	14	-	37	20	40	3	ø25 x M10 x 80
K0671.2160X16	160	-	16	37	20	40	3	ø25 x M10 x 80
K0671.2180X16	180	16	-	36	22	43	3	ø25 x M10 x 80
K0671.2180X18	180	-	18	36	22	43	3	ø25 x M10 x 80
K0671.2200X18	200	18	-	38	24	45	3	ø25 x M10 x 80
K0671.2200X22	200	-	22	38	24	45	3	ø25 x M10 x 80
K0671.2250X22	250	22	-	46	28	50	5	ø32 x M12 x 100
K0671.2250X26	250	-	26	46	28	50	5	ø32 x M12 x 100
K0671.2315X26	315	26	-	54	33	56	5	ø32 x M12 x 100
K0671.2315X30	315	-	30	54	33	56	5	ø32 x M12 x 100
K0671.2400X30	400	30	-	68	38	63	5	ø36 x M16 x 112
K0671.2400X34	400	-	34	68	38	63	5	ø36 x M16 x 112
K0671.2500X34	500	34	-	79	45	72	5	ø36 x M16 x 112
K0671.2500X40	500	-	40	79	45	72	5	ø36 x M16 x 112

KIPP Handwheels gray cast iron DIN 950, with revolving machine handle, metric

Item No.	D1	D2 line 1	D2 line 2	D3	L1	L3	Number of spokes	revolving machine handle DIN 98 Style E
K0671.4080X10	80	10	-	25	16	29	3	ø16 x M6 x 54,5
K0671.4080X12	80	-	12	25	16	29	3	ø16 x M6 x 54,5
K0671.4100X10	100	10	-	26	17	33	3	ø16 x M6 x 54,5
K0671.4100X12	100	-	12	26	17	33	3	ø16 x M6 x 54,5
K0671.4125X12	125	12	-	33	18	36	3	ø20 x M8 x 67
K0671.4125X14	125	-	14	33	18	36	3	ø20 x M8 x 67
K0671.4140X14	140	14	-	33	19	39	3	ø20 x M8 x 67
K0671.4140X16	140	-	16	33	19	39	3	ø20 x M8 x 67
K0671.4160X14	160	14	-	37	20	40	3	ø25 x M10 x 83
K0671.4160X16	160	-	16	37	20	40	3	ø25 x M10 x 83
K0671.4180X16	180	16	-	36	22	43	3	ø25 x M10 x 83
K0671.4180X18	180	-	18	36	22	43	3	ø25 x M10 x 83
K0671.4200X18	200	18	-	38	24	45	3	ø25 x M10 x 83
K0671.4200X22	200	-	22	38	24	45	3	ø25 x M10 x 83
K0671.4250X22	250	22	-	46	28	50	5	ø32 x M12 x 105,5
K0671.4250X26	250	-	26	46	28	50	5	ø32 x M12 x 105,5
K0671.4315X26	315	26	-	54	33	56	5	ø32 x M12 x 105,5
K0671.4315X30	315	-	30	54	33	56	5	ø32 x M12 x 105,5
K0671.4400X30	400	30	-	68	38	63	5	ø36 x M16 x 117
K0671.4400X34	400	-	34	68	38	63	5	ø36 x M16 x 117
K0671.4500X34	500	34	-	79	45	72	5	ø36 x M16 x 117
K0671.4500X40	500	-	40	79	45	72	5	ø36 x M16 x 117