




Adjustable Handles

Modern Design Style, Zinc, inserts and internal components stainless steel, internal thread

INCH
Parts

METRIC
Parts



Material:

Handle die-cast zinc DIN 12844.
Steel parts stainless steel 1.4305.

Type:

Handle powder-coated, except high-polished chromium plated versions, steel parts natural finish

Part Number Example:

K0123.0AD1
(handle color black satin finish)

Note:

Δ Add the desired handle color here

On request:

Other internal threads, colors and special versions.
Dimension "H1" can be produced in other lengths at an additional charge.



black satin finish Δ = 1



orange Δ = 2



RAL 2004

ruby red Δ = 27



RAL 3003

silver metallic Δ = 3



high-polish chromium-plated Δ = 6



Adjustable Handles

Modern Design Style, Zinc, inserts and internal components stainless steel, internal thread



KIPP Adjustable Handles, Modern Design Style, Zinc, with internal thread, components in stainless steel, inch

Item No.	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0123.0AΔΔ	0	6-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.0AEΔ	0	8-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.0A0Δ	0	10-24	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.0A1Δ	0	10-32	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.0A2Δ	0	1/4-20	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.1A0Δ	1	10-24	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.1A1Δ	1	10-32	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.1A2Δ	1	1/4-20	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.2A2Δ	2	1/4-20	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.2A3Δ	2	5/16-18	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.3A3Δ	3	5/16-18	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0123.3A4Δ	3	3/8-16	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0123.4A4Δ	4	3/8-16	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0123.4A5Δ	4	1/2-13	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0123.5A5Δ	5	1/2-13	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0123.5A6Δ	5	5/8-11	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26

KIPP Adjustable Handles, Modern Design Style, Zinc, with internal thread, components in stainless steel, metric

Item No.	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0123.003Δ	0	M3	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.004Δ	0	M4	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.005Δ	0	M5	9	10	13	14	24,5	4	14,5	30	33	30	37	7	16
K0123.104Δ	1	M4	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.105Δ	1	M5	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.106Δ	1	M6	9	10	13	14	24,5	4	14,5	31	34	40	47	7	16
K0123.206Δ	2	M6	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.208Δ	2	M8	12	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.308Δ	3	M8	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0123.310Δ	3	M10	14	16	21	22	37	10	24	54,5	58,5	80	91	11	22
K0123.410Δ	4	M10	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0123.412Δ	4	M12	17	19	27	27,5	43	10	27	63	67,5	95	109	13	24
K0123.512Δ	5	M12	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26
K0123.516Δ	5	M16	23	23	31	32	49	12	31,5	73	77,5	110	126	15	26



Adjustable Handles

Modern Design Style, Zinc, bolts and internal components in stainless steel, external thread

INCH
Parts

METRIC
Parts



Material:

Handle die-cast zinc DIN 12844.
Steel parts stainless steel 1.4305.

Type:

Handle powder-coated, except high-polished chromium plated versions, steel parts natural finish

Part Number Example:


K0123.0AE1X10
(handle color black satin finish;
include length L)

Note:

Δ Add the desired handle color here

On request:

Other external threads, screw lengths, colors
and special versions.
Dimension „H1 “ can be produced in other
lengths at an additional charge.



lift to
disengage



black satin finish Δ = 1



orange Δ = 2



RAL 2004

ruby red Δ = 27



RAL 3003

silver metallic Δ = 3



high-polish chromium-plated Δ = 6



Adjustable Handles

Modern Design Style, Zinc, bolts and internal components in stainless steel, external thread



KIPP Adjustable Handles, Modern Design Style, Zinc, with external thread, components in stainless steel, inch

Item No.	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0123.0AEΔX	0	8-32	10	13	14	24.5	4	14.5	30	33	30	37	7	16	10/15/20/25
K0123.0A0ΔX	0	10-24	10	13	14	24.5	4	14.5	30	33	30	37	7	16	10/15/20/25
K0123.0A1ΔX	0	10-32	10	13	14	24.5	4	14.5	30	33	30	37	7	16	10/15/20/25
K0123.0A2ΔX	0	1/4-20	10	13	14	24.5	4	14.5	30	33	30	37	7	16	10/15/20/25/30/40/50
K0123.1A0ΔX	1	10-24	10	13	14	24.5	4	14.5	31	34	40	47	7	16	15/20/25
K0123.1A1ΔX	1	10-32	10	13	14	24.5	4	14.5	31	34	40	47	7	16	15/20/25
K0123.1A2ΔX	1	1/4-20	10	13	14	24.5	4	14.5	31	34	40	47	7	16	10/15/20/25/30/40/50
K0123.2A2ΔX	2	1/4-20	13.5	18.5	19	28.5	6.5	17.5	42.5	45.5	65	74.5	9.5	20	15/20/25/30/40/50/60
K0123.2A3ΔX	2	5/16-18	13.5	18.5	19	28.5	6.5	17.5	42.5	45.5	65	74.5	9.5	20	15/20/25/30/40/50/60
K0123.2A4ΔX	2	3/8-16	13.5	18.5	19	28.5	6.5	17.5	42.5	45.5	65	74.5	9.5	20	20/25/30/40/50/60
K0123.3A3ΔX	3	5/16-18	16	21	22	37	10	24	54.5	58.5	80	91	11	22	20/25/30/40/50/60
K0123.3A4ΔX	3	3/8-16	16	21	22	37	10	24	54.5	58.5	80	91	11	22	20/25/30/40/50/60
K0123.4A5ΔX	4	1/2-13	19	27	27.5	43	10	27	63	67.5	95	109	13	24	25/30/40/50/60
K0123.5A6ΔX	5	5/8-11	23	31	32	49	12	31.5	73	77.5	110	126	15	26	30/40/50/60

KIPP Adjustable Handles, Modern Design Style, Zinc, with external thread, components in stainless steel, metric

Item No.	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K0123.004ΔX	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10/15/20/25
K0123.005ΔX	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10/15/20/25
K0123.105ΔX	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10/15/20/25
K0123.106ΔX	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10/15/20/25/30/40/50
K0123.206ΔX	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15/20/25/30/40/50/60
K0123.208ΔX	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15/20/25/30/40/50/60
K0123.210ΔX	2	M10	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20/25/30/40/50/60
K0123.308ΔX	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20/25/30/40/50/60
K0123.310ΔX	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20/25/30/40/50/60
K0123.412ΔX	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25/30/40/50/60
K0123.516ΔX	5	M16	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30/40/50/60



Adjustable Handles with protective cap

Modern Design Style, Zinc, inserts and internal components in stainless steel, internal thread

INCH
Parts

METRIC
Parts



Material:

Handle in die cast zinc to DIN 12844;
steel parts in stainless steel, 1.4305;
protective cap in stainless steel, 1.4305

Type:

Handle powder-coated;
steel parts natural finish;
protective cap stainless steel, natural finish

Part Number Example:


K0123.92A21

Note:

Standard colors are:
black satin finish, orange RAL 2004.

On request:

Other internal threads, colors and special versions.
Dimension "H1" can be produced in other lengths
at an additional charge.



lift to
disengage



Adjustable Handles with protective cap

Modern Design Style, Zinc, inserts and internal components in stainless steel, internal thread



KIPP Adjustable Handles with protective cap, inserts and internal components in stainless steel, internal thread, inch

Item No. black satin finish	Item No. orange	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0123.92A21	K0123.92A22	2	1/4-20	12	13.5	18.5	19	32	6.5	17.5	42.5	45.5	65	74.5	9.5	20
K0123.92A31	K0123.92A32	2	5/16-18	12	13.5	18.5	19	32	6.5	17.5	42.5	45.5	65	74.5	9.5	20
K0123.93A31	K0123.93A32	3	5/16-18	14	16	21	22	41.5	10	24	54.5	58.5	80	91	11	22
K0123.93A41	K0123.93A42	3	3/8-16	14	16	21	22	41.5	10	24	54.5	58.5	80	91	11	22

KIPP Adjustable Handles with protective cap, inserts and internal components in stainless steel, internal thread, metric

Item No. black satin finish	Item No. orange	Size	X	T	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
K0123.92061	K0123.92062	2	M6	12	13,5	18,5	19	32	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.92081	K0123.92082	2	M8	12	13,5	18,5	19	32	6,5	17,5	42,5	45,5	65	74,5	9,5	20
K0123.93081	K0123.93082	3	M8	14	16	21	22	41,5	10	24	54,5	58,5	80	91	11	22
K0123.93101	K0123.93102	3	M10	14	16	21	22	41,5	10	24	54,5	58,5	80	91	11	22



Adjustable Handles with protective cap

Modern Design Style, Zinc, bolts and internal components in stainless steel, external thread

INCH
Parts

METRIC
Parts



Material:

Handle in die cast zinc to DIN 12844;
steel parts in stainless steel, 1.4305;
protective cap in stainless steel, 1.4305

Type:

Handle powder-coated;
steel parts natural finish;
protective cap stainless steel, natural finish

Part Number Example:

K0123.92A21X15
(include length L)


Note:

Standard colors are:
black satin finish, orange RAL 2004.

On request:

Other external threads, screw lengths, colors
and special versions.

Dimension "H1" can be produced in other
lengths at an additional charge.



lift to
disengage



Adjustable Handles with protective cap

Modern Design Style, Zinc, bolts and internal components in stainless steel, external thread



KIPP Measurements, external thread

Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth
2	1/4-20 ; 5/16-18 ; 3/8-16	13.5	18.5	19	32	6.5	17.5	42.5	45.5	65	74.5	9.5	20
3	5/16-18 ; 3/8-16	16	21	22	41.5	10	24	54.5	58.5	80	91	11	22
2	M6 ; M8 ; M10	13,5	18,5	19	32	6,5	17,5	42,5	45,5	65	74,5	9,5	20
3	M8 ; M10	16	21	22	41,5	10	24	54,5	58,5	80	91	11	22

KIPP Adjustable Handles with protective cap, Zinc, bolts and internal components in stainless steel, external thread, inch

Item No. black satin finish	Item No. orange	Size	X	L
K0123.92A21X	K0123.92A22X	2	1/4-20	15/20/25/30/40/50/60
K0123.92A31X	K0123.92A32X	2	5/16-18	15/20/25/30/40/50/60
K0123.92A41X	K0123.92A42X	2	3/8-16	20/25/30/40/50/60
K0123.93A31X	K0123.93A32X	3	5/16-18	20/25/30/40/50/60
K0123.93A41X	K0123.93A42X	3	3/8-16	20/25/30/40/50/60

KIPP Adjustable Handles with protective cap, Zinc, bolts and internal components in stainless steel, external thread, metric

Item No. black satin finish	Item No. orange	Size	X	L
K0123.92061X	K0123.92062X	2	M6	15/20/25/30/40/50/60
K0123.92081X	K0123.92082X	2	M8	15/20/25/30/40/50/60
K0123.92101X	K0123.92102X	2	M10	20/25/30/40/50/60
K0123.93081X	K0123.93082X	3	M8	20/25/30/40/50/60
K0123.93101X	K0123.93102X	3	M10	20/25/30/40/50/60